



Vispa 35 E/B

The revolutionary scrubbing machine that scrubs, dries and sanitizes in one pass. Ideal for small areas. It has a 35 cm working width.


COMAC
professional people



Vispa 35 E/B.
Ideal to replace manual cleaning systems
in small and congested areas.
Ideal for maintenance cleaning

Vispa 35 is available in the scrubbing and electrical version.

The battery-powered version is cable-free so that it can easily move in small and congested areas.

Vispa 35 E/B can move easily under tables, clean accurately room corners and have access in areas with

many obstacles thanks to its handle bar which ensures 180° flexibility.

Vispa 35 is supplied complete with brush or pad holder. The battery model is equipped with built-in battery charger and gel battery. The electric model can be supplied on request with the 15 m. cable.



12V/6A built-in battery charger

Vispa 35 B features a built-in battery charger so that, to recharge the machine, you just have to plug the battery charger cable into any mains socket

Vispa 35 E/B is extremely compact in size and can be parked also vertically.
 ATTENTION: in the battery version this operation can be made only with gel battery



Vispa 35 E

Vispa 35 B

Vispa 35 E/B. Perfectly sanitizable and twice the productivity of the operator

Thanks to the combined action of the suction motor and the squeegee swinging around the brush, perfect drying is ensured and dirt is fully picked up without being spread on the floor as it might be the case with traditional manual cleaning systems. Every cleaning task becomes much easier. Effortless scrubbing

ensures much higher productivity of the operator at the end of the working day.

Thanks to the automatic squeegee and brush adjusting system, the machine can automatically adjust to any type of floor.



Vispa 35 E
The breath valve on the cap of the solution tank always guarantees the same quantity of water on the floor for a constant cleaning operation



Vispa 35 E
The dirt is collected into the recovery tank that can be easily removed to be simply emptied



Vispa 35 B



Vispa 35 B
Parabolic squeegee
The parabolic squeegee swinging around the brush ensures perfect drying even on bends

Vispa 35 E/B, a small scrubbing machine with long operating autonomy


Vispa 35 B is ideal for cleaning in very congested areas and its autonomy is ensured by the easy battery replacement that guarantees longer operating performance even for several production cycles. Excellent autonomy is further ensured by its large

tanks capacity.

Vispa 35 E is ideal for cleaning in tight and not excessively congested spaces and has a never ending autonomy ensured by the electric cable.



Vispa 35 B
The battery compartment is easy to reach for quick battery replacement



Vispa 35 E
The practical hook can be used as a cable stop when the machine is working, or as a cable holder (15 m. extension cable is available on request as optional)



Vispa 35 E/B. Easy to get ready for use

Vispa 35 E/B is user friendly: just fill up the solution tank with water and detergent, fit the brushes and lower the squeegee to start operating.

- Controls are obvious in their use and self explanatory
 - Operate the water flow switch
 - Operate the brushes motor switch
 - Operate the suction motor switch

When operating the safety switch, holding both hands on the handle bar, the brush starts to rotate and water to flow. When releasing the safety switch, water flow is interrupted and the brush stops. To switch suction on and off, operate the relevant switch.



Vispa 35 E/B
To get a good drying action squeegee rubbers must always be clean. If worn out it is very easy to replace them



Vispa 35 E/B
Thorough cleaning of the suction filter is easy and practical



Vispa 35 B
Periodical cleaning of squeegee hose to guarantee an efficient suction



Vispa 35 B
Before removing the solution tank don't forget to disconnect the solution hose connection

TECHNICAL DESCRIPTION		Vispa 35E	Vispa 35B
Squeegee width	mm	450	450
Brush Ø	mm	350	350
Brush rpm	rpm	140	140
Brush motor	V/Hz - V/W	220-230/50	12/250
Suction motor	V/Hz - V/W	220-230/50	12/250
Max gradient at full load	%	2	2
Battery	V/Ah C5	-	12/65
Battery compartment dimensions (L x h x w)	mm	-	174-235-286
Battery weight	kg	-	25



Cleaning professionalism for everybody

	Working width mm	Brushes pressure	Power supply V/ traction	Voltage V/ Frequency Hz/ traction	Solution tank l	Recovery tank l	Working width up to m ² /h	Machine dimensions mm L x H x W	Machine weight kg (without batteries)
Vispa 35 E	350	18	-	220-230/50 110/60 semi aut.	8	10	800	620 1050 440	35
Vispa 35 B	350	20	12/semi aut.	-	10	10	1000	682 1018 440	42 (without battery) 67 (with battery)

The machine is manufactured in compliance with the directives 98/37 CEE, 73/23 CEE, 2004/108 EC, according to the technical regulations EN 60335-1, EN 292.



The steel parts are subject to treatment which guarantees a long life and makes the parts oxidation-proof.



professional people

COMAC spa
Via Ca' Nova Zampieri, 5
37057 San Giovanni Lupatoto - Verona - Italy
Tel. +39 045 8774222 - Fax +39 045 8750303
on line: www.comac.it - e-mail: com@comac.it

KEY WORDS:

Machine for commercial use

B - Battery-powered machine with voltage value

E - Mains-powered machine with voltage value

An ISO 9001-2000 Organisation certified by Q.C.B. Italy